

➤ **Pain Control:** *Tylenol, Ibuprofen, and Hyland's Arnica* are popular pain control medications; these agents may be used at the same time if needed. **Ibuprofen is far superior to Tylenol in duration, safety, and anti-inflammatory property.** **Purchase both infant Ibuprofen & Tylenol.**

- **Tylenol** has NO **ANTI-INFLAMMATORY** property, but is **EASIER ON STOMACH**. May give Every 4 hours as needed but maximum is 5 times per day, 3 days maximum.
- **Ibuprofen:** **infant Advil or infant Motrin** every 6 hours *as needed or recommended*. *Be sure to coat the stomach with milk to minimize possible stomach irritation.*
- **Hyland's Arnica Montana 30X** 1 tablet every 15 min. to 6hr. ; max: 4 tablets per day

**You may choose other infant homeopathic remedies as well but NOT NUMBING** teething gels.

It is entirely **UNPROFESSIONAL, UNETHICAL, and IRRESPONSIBLE** for a doctor to provide post-surgical advice for another doctor's patient; most doctors do not have the experience, nor up to date knowledge we are taking into consideration. Such advice is at best considered a "FLIP" comment, "negligent, interfering with patient care", and potentially "hazardous."

*If you do not provide proper pain control your baby may stop using their tongue effectively to help lower their own pain, which opposes our goals of increasing tongue movement, bettering function, thereby lowering re-attachment.*

WEIGHT	INFANT <b>IBUPROFEN</b>	INFANT <b>TYLENOL</b>
6LBS	0.7 ML	1.3 ML
7LBS	0.8 ML	1.5 ML
8LBS	0.9 ML	1.7 ML
9LBS	1 ML	1.9 ML
10LBS	1.1 ML	2 ML
11LBS	1.2 ML	2.3 ML
12LBS	1.4 ML	2.5 ML
13LBS	1.5 ML	2.7 ML
14LBS	1.6 ML	2.9 ML
15LBS	1.7 ML	3.2 ML
16LBS	1.8 ML	3.4 ML
17LBS	1.9 ML	3.6 ML
18LBS	2 ML	3.8 ML
19LBS	2.1 ML	4 ML
20LBS	2.3 ML	4.2 ML
21LBS	2.4 ML	4.4 ML
22LBS	2.5 ML	4.6 ML
23LBS	2.6 ML	4.8 ML
24LBS	2.7 ML	5 ML

**Health Unlimited has Arnica** is across **Walgreens has Ibuprofen:** 3382 Castro Valley Blvd. (shared parking)